This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.
















FIG. 5







Α




 \mathbf{B}



<u>-</u>-)



.




A - crypt score;

B - inflomation score;


C - lymph accumulation;


D - DAI = Desease activity index


(see text for details)




Each datum is Mean+SEM for 9 mice. * p < 0.001;** p < 0.005; *** p < 0.01; # not significant.









A. control

B. LPS


C. HYPE-40 10 μM


D.HYPE-40 20 μM

E. HYPE-80 10 μM

F. HYPE-80 20 μM

FIGURE 16








FIGURE 19








FIGURE 20
















Legend

- A Basal, serum defficient DMEM
- B Control, thrombin
- C Thrombin, no wash-out, and after 6 hours add 50μM HYPE
- D Thrombin+50μM HYPE
- E Thrombin,6 hours, then wash-out of thrombin, further incubation with DMEM
- F Thrombin, 6 hours, wash-out of thrombin, add $50\mu M$ HYPE
- G Thrombin, 6 hours , then harvest and counting
- H DMEM+10% fetal calf serum








FIG. 26





FIG. 27







FIG. 29









FIG. 31







1



....








FIG. 37






FIG. 38A









FIG. 40






FIG. 41A

1, medium alone

- 2, LPS
- 3, LPS + HyPE

NF-kB




FIG. 41B





FIG. 41

Figure 42






Figure 43




Figure 44




Figure 45






Figure 46




:

11.15


Figure 47



CORNEAL OPACITIES AT THE IMMEDIATE POST-PROVOCATION PHASE



PROSTAGLANDIN E₂AND LEUKOTRIENE B₄ LEVELS IN THE CORNEA OF GUINEA PIGS WITH ALLERGIC CONJUNCTIVITIS



CORNEAL OPACITIES AT THE LATE POST-PROVOCATION PHASE





FIG. 51






FIG. 52




FIG. 53